

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/676,324	09/30/2003	Gregg A. Deluga	110.02040101	6481	
,	7590 01/30/2006		EXAM	EXAMINER	
20012	RAASCH & GEBHAR	DT, P.A.	COOKE, C	COOKE, COLLEEN P	
P.O. BOX 581	1415	•	ART UNIT	PAPER NUMBER	
MINNEAPOL	LIS, MN 55458		1754		
			DATE MAILED: 01/30/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

			F			
	Application No.	Applicant(s)				
	10/676,324	DELUGA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Colleen P. Cooke	1754				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet wi	th the correspondence address	s			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication.  If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNION (36(a). In no event, however, may a rewill apply and will expire SIX (6) MONON, cause the application to become AE	CATION.  eply be timely filed  THS from the mailing date of this commun  ANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 24 O	ctober 2005.					
2a) This action is <b>FINAL</b> . 2b) ☐ This	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.					
,	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D	o. 11, 453 O.G. 213.				
Disposition of Claims						
4) ⊠ Claim(s) <u>1-24,26-33,35-40 and 42-50</u> is/are pe 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-24,26-33,35-40 and 42-50</u> is/are rej 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	wn from consideration.					
Application Papers						
9) The specification is objected to by the Examine	er.					
10)☐ The drawing(s) filed on is/are: a)☐ acc	epted or b) ☐ objected to	by the Examiner.				
Applicant may not request that any objection to the	- · ·					
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex						
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority document</li> <li>2. Certified copies of the priority document</li> <li>3. Copies of the certified copies of the priority application from the International Bureau</li> </ul>	s have been received. s have been received in A rity documents have been	pplication No	je			
* See the attached detailed Office action for a list		received.				
	·					
Attachment(s)  1) ☑ Notice of References Cited (PTO-892)	4) Interview S	Summary (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		s)/Mail Date				

U.S. Patent and Trademark Office PTOL-326 (Rev. 7-05)

3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 10/24/05.

6) Other: \_

5) Notice of Informal Patent Application (PTO-152)

## Response to Arguments

Applicant's arguments with respect to claims 1-50 have been considered but are moot in view of the new ground(s) of rejection.

### Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-7, 13-17, 20, 21, 42-45, and 50 are rejected under 35 U.S.C. 102(b) as being anticipated by CA 2323728 (Maruko, Saburo).

CA 2323728 teaches an auto-oxidation method of producing hydrogen by contacting an alcohol and water vapor plus oxygen with a catalyst (abstract), where the alcohol can be ethanol (page 6, 2<sup>nd</sup> full paragraph, lines 5-6) and also where the catalyst is "stratified" (page 5, 1<sup>st</sup> full paragraph, lines 5-11) and loaded or packed into a bed (page 8, 3<sup>rd</sup> full paragraph, lines 1-5). CA 2323728 teaches space velocities of about 2000-8000 (page 6, 1<sup>st</sup> full paragraph).

Regarding claims 6, 7 and 13, CA 2323728 teaches that the catalyst bed in general is maintained in the range of 700-800°C and that the alcohol reactions go on at temperatures as low as 250-350°C (page 4, 1st full paragraph through 4th paragraph continued onto page 5) and also that the gaseous mixture may be heated to the required temperature (page 5, last paragraph, lines 4-6).

Art Unit: 1754

With respect to claims 42 and 43, CA 2323728 further teaches that one portion of the catalyst can include materials such as Ni, Si, Al, W, and/or Fe, which may be in oxide form (page 6, 4<sup>th</sup> and 5<sup>th</sup> full paragraphs) while another portion preferably has Pt or Pd (page 6, 6<sup>th</sup> full paragraph).

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 14, 18-19, 21, 26-30, and 35-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over CA 2323728 (Maruko, Saburo) as applied to the claims above.

CA 2323728 teaches the method of producing hydrogen by contacting an alcohol and water vapor plus oxygen with a catalyst as described with respect to the claims above. With respect to claims 14, 18, 28, 35, CA 2323728 fails to teach specifically that the alcohol and oxygen-containing gas are at a temperature of no greater than about 160°C prior to contact with the catalyst.

However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to determine the optimum operating temperature for each phase of the reaction process, since it has been held that discovering an optimum value or a result effective variable involved only routine skill in the art. In re Boesch, 617 F.2<sup>nd</sup> 272, 205 USPQ 215

Application/Control Number: 10/676,324

Art Unit: 1754

(CCPA 1980). The artisan would have been motivated to select a temperature of the gas stream such that the reactions proceeds at a high rate to completion by the reasoned explanation that the catalyst bed in general is maintained in the range of 700-800°C and that the alcohol reactions go on at temperatures as low as 250-350°C (page 4, 1<sup>st</sup> full paragraph through 4<sup>th</sup> paragraph continued onto page 5) and also that the gaseous mixture may be heated to the required temperature (i.e. the gas may be at temperatures lower than 250°C; page 5, last paragraph, lines 4-6).

Claims 8-12, 22-24, 31-33, 38-40, and 46-49 are rejected under 35 U.S.C. 103(a) as being unpatentable over CA 2323728 (Maruko, Saburo) as applied to the claims above and further in view of Anzai et a1. (2003/0060364 A1).

CA 2323728 teaches a method of producing hydrogen by contacting an alcohol and water vapor plus oxygen with a catalyst (abstract), where the alcohol can be ethanol (page 6, 2<sup>nd</sup> full paragraph, lines 5-6) and also where the catalyst is "stratified" (page 5, 1<sup>st</sup> full paragraph, lines 5-11) and loaded or packed into a bed (page 8, 3<sup>rd</sup> full paragraph, lines 1-5). CA 2323728 teaches space velocities of about 2000-8000 (page 6, 1<sup>st</sup> full paragraph).

With respect to claims 9-12, 22-25, 31-33, 38-40, and 46-49, CA 2323728 fails to teach that the catalyst comprises rhodium metal and/or oxide and cerium.

Anzai et al discloses a process similar to that of CA 2323728 (see abstract) including an autothermal process for producing hydrogen comprising contacting a composition comprising at least one alcohol (ethanol in [0053]) with an oxygen-containing gas, steam and a catalyst. The catalyst comprises rhodium and cerium oxide on a support. (See [0002] and [0009]). The support

may be in any shape or form such as pellet, granular, honey comb, etc (See [0037]). The inlet temperature is in the range from 300 to 600°C and the outlet temperature is in the range from 500 to 1000°C (See [0049]). Anzai et al further disclose that the atomic Ce/Rh ratio is in the range from 1 to 250 and that the Rh is supported in a 0.1 to 3 % by mass (See [0038] and [0039]).

With respect to claim 8, CA 2323728 also fails to disclose the residence time of the alcohol and oxygen in contact with the catalyst and fails to disclose the gas space velocity. However, it is well known and recognized that both the residence time and gas space velocity are result effective variables. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have determined by experimentation the residence time and gas space velocity in Anzai et al process, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). Further it would be obvious for the residence time to be such that it is sufficient to allow the reaction to proceed to completion.

It would have been obvious to modify the process of CA 2323728 by using a catalyst such as that taught by Anzai et al. because Anzai et al. teaches that this catalyst desirably performs the same process.

Claims 1-24, 26-33, 35-40, and 42-50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Anzai et a1. (2003/0060364 A1) in view of Hu et al. (5597771).

Anzai et al disclose a process for producing hydrogen comprising contacting a composition comprising at least one alcohol (ethanol in [0053]) with an oxygen-containing gas, steam and a catalyst. The catalyst comprises rhodium and cerium oxide on a support. (See [0002]

Art Unit: 1754

and [0009]). The support may be in any shape or form such as pellet, granular, honey comb, etc (See [0037]). The inlet temperature is in the range from 300 to 600°C and the outlet temperature is in the range from 500 to 1000°C (See [0049]). Anzai et al further disclose that the atomic Ce/Rh ratio is in the range from 1 to 250 and that the Rh is supported in a 0.1 to 3 % by mass (See [0038] and [0039]).

Anzai et al. does not teach that the catalyst is a stratified catalyst. Anzai et al. also fails to disclose the residence time of the alcohol and oxygen in contact with the catalyst and fails to disclose the gas space velocity.

However, it is well known and recognized that both the residence time and gas space velocity are result effective variables. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have determined by experimentation the residence time and gas space velocity in Anzai et al process, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

Hu et al. teaches a stratified catalyst (see abstract) to be for production of hydrogen.

It would have been obvious to modify the process of producing hydrogen as taught by Anzai et al. by using a stratified catalyst such as that taught by Hu et al. because Hu et al. teaches that such catalysts desirably are polyfunctional and can simultaneously catalyze oxidation of hydrocarbons as well as carbon monoxide and the reduction of nitrogen oxides (see Column 1, lines 14-17 and Column 7, lines 30-43).

Application/Control Number: 10/676,324

Art Unit: 1754

Claims 1-24, 26-33, 35-40, and 42-50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Anzai et al. (2003/0060364 Al) in view of CA 2323728 (Maruko, Saburo).

Anzai et al disclose a process for producing hydrogen comprising contacting a composition comprising at least one alcohol (ethanol in [0053]) with an oxygen-containing gas, steam and a catalyst. The catalyst comprises rhodium and cerium oxide on a support. (See [0002] and [0009]). The support may be in any shape or form such as pellet, granular, honey comb, etc (See [0037]). The inlet temperature is in the range from 300 to 600°C and the outlet temperature is in the range from 500 to 1000°C (See [0049]). Anzai et al further disclose that the atomic Ce/Rh ratio is in the range from 1 to 250 and that the Rh is supported in a 0.1 to 3 % by mass (See [0038] and [0039]).

Anzai et al. fails to disclose the residence time of the alcohol and oxygen in contact with the catalyst and fails to disclose that gas space velocity. However, it is well known and recognized that both the residence time and gas space velocity are result effective variables. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have determined by experimentation the residence time and gas space velocity in Anzai et al process, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

Anzai et al. also does not teach that the catalyst is a stratified catalyst.

CA 2323728 teaches a method of producing hydrogen by contacting an alcohol and water vapor plus oxygen with a catalyst (abstract), where the alcohol can be ethanol (page 6, 2<sup>nd</sup> full paragraph, lines 5-6) and also where the catalyst is "stratified" (page 5, 1<sup>st</sup> full paragraph, lines 5-

Application/Control Number: 10/676,324 Page 8

Art Unit: 1754

11) and loaded or packed into a bed (page 8, 3<sup>rd</sup> full paragraph, lines 1-5). CA 2323728 teaches space velocities of about 2000-8000 (page 6, 1<sup>st</sup> full paragraph).

It would have been obvious to modify the process of producing hydrogen as taught by Anzai et al. by using a stratified catalyst such as that taught by CA 2323728 because CA 2323728 teaches that such catalyst will facilitate commencement of the reaction and conclude the reaction more quickly (page 5, 1<sup>st</sup> full paragraph, lines 5-11).

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Colleen P Cooke whose telephone number is 571-272-1170. She can normally be reached Mon.-Thurs. 8am-6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, her supervisor, Stan Silverman can be reached at 571-272-1358. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Colleen P Cooke
Primary Examiner
Art Unit 1754